

Variables	<i>n</i>	JMJD6 expression		<i>p</i> value
		Negative (<i>n</i> ,%)	Positive (<i>n</i> ,%)	
<i>Histological grade</i>				
I	15	13 (43.33%)	2 (3.33%)	<i>p</i> <0.001
II	37	12 (40.00%)	25 (41.67%)	
III	38	5 (16.67%)	33 (55.00%)	
<i>Gender</i>				
Male	46	16 (53.33%)	30 (50.00%)	<i>P</i> =0.776
Female	44	14 (46.67%)	30 (50.00%)	
<i>Age (years)</i>				
>65	54	14(46.67%)	40(66.67%)	<i>p</i> =0.068
≤65	36	16 (53.33%)	20 (33.33%)	
<i>Tumor size</i>				
d<5	37	16 (53.33%)	21 (35.00%)	<i>p</i> =0.202
5≤d<10	42	12 (40.00%)	30 (50.00%)	
d≥10	11	2 (6.67%)	9 (15.00%)	
<i>Depth of invasion</i>				
T1	3	3 (10.00%)	0 (00.00%)	<i>p</i> =0.027
T2	7	4 (13.33%)	3 (5.00%)	
T3	69	21 (70.00%)	48 (80.00%)	
T4	11	2 (6.67%)	9 (15.00%)	
<i>Lymph node</i>				
N0	56	24 (80.00%)	32 (51.67%)	<i>p</i> =0.046
N1	25	4 (13.33%)	21 (35.00%)	
N2	9	2 (6.67%)	7 (11.67%)	
<i>Distant metastasis</i>				
M0	88	29 (96.67%)	59 (98.33%)	<i>p</i> =0.613
M1	2	1 (3.33%)	1 (1.67%)	
<i>TNM stage</i>				
I	9	7 (23.33%)	2 (3.33%)	<i>p</i> =0.009
II	47	15 (50.00%)	32 (53.34%)	
III-IV	34	8 (26.67%)	26 (43.33%)	